



Lincoln Trail District  
Health Department

**2015**

# Health Report Card



**Public Health**  
Prevent. Promote. Protect.  
Lincoln Trail District  
Health Department

108 New Glendale Road, Elizabethtown, KY 42701  
Phone: 270-769-1601 Fax: 270-765-7274  
Website: [www.ltdhd.ky.gov](http://www.ltdhd.ky.gov)

# ***Mission***

The Lincoln Trail District Health Department provides assurance of the public's health and safety through assessment, intervention and preparedness.



Lincoln Trail District Health Department is pleased to provide you with the annual report card. We hope you find this data helpful as you assess the community in which you serve, live, work, and play. Assessment is a key step in identifying our current state of health, the risk factors that threaten health and safety, and developing strategies for improving the quality and quantity of our lives. Lincoln Trail District Health Department strives to assist the communities we serve in identifying areas of improvement around health and safety as well as mobilizing the community to take action to protect everyone's foundational right to good health and a safe environment. We believe that we can make a positive difference in the lives of those we serve as a regional public health agency.

A handwritten signature in black ink that reads "Sara Jo Best". The signature is written in a cursive, flowing style.

Sara Jo Best, MPH  
Public Health Director  
Lincoln Trail District Health Department

## Definitions:

**Age-adjusted rate** – The hypothetical death rate that would have occurred if the observed age specific rates were present in a population whose age distribution were that of a standard population.

### **Age-adjusted death rate**

Sum of (age specific death rate per 100,000 population x standard population in corresponding age group)

(Sum of the standard population).

**Crude and age-adjusted death rate** – The crude rate indicates the true current “risk of dying” in a population. However, since the crude death rate is influenced by the age composition of a population as well as by the number of deaths by age group, the crude rate is not appropriate for comparisons between different populations. The age-adjusted death rate is used to indicate the relative risk of dying among different populations by relating them to a standard population. By removing the influence of the age composition, the age-adjusted rate allows for valid comparisons between two populations.

## Data Sources:

Americas Health Rankings (<http://www.americashealthrankings.org>)

BRFSS 2013 profile  
(<http://chfs.ky.gov/dph/info/dpqi/cd/Kentucky+BRFSS+Data+Reports.htm>);

Center for Disease Control and Prevention ([www.cdc.gov](http://www.cdc.gov))

Federal Bureau of Investigation (<https://ucr.fbi.gov>)

Healthy People 2020 (<https://www.healthypeople.gov>)

Kentucky Health Facts ([www.kentuckyhealthfacts.org](http://www.kentuckyhealthfacts.org));

KY Dept. for Public Health (<http://chfs.ky.gov>).

KY Kids Count Data Book (<http://kyyouth.org/Kentucky-kids-count>);

Robert Wood Johnson County Health Rankings ([www.countyhealthrankings.org](http://www.countyhealthrankings.org));

U.S. Census 2010/14 census and 2015 population estimates  
([www.quickfacts.census.gov](http://www.quickfacts.census.gov));

Workforce KY (<https://kylmi.gov>);



## Locations:

### MAIN OFFICE

108 NEW GLENDALE RD

ELIZABETHTOWN, KY 42702

270-769-1601

### MARION COUNTY HEALTH CENTER

516 NORTH SPALDING AVE.

LEBANON, KENTUCKY 40033

270-692-3393

### HARDIN CO HEALTH CENTER

580 WESTPORT ROAD

ELIZABETHOWN, KENTUCKY 42702

270-769-6196

### MEADE COUNTY HEALTH CENTER

520 FAIRWAY DRIVE

BRANDENBURG, KENTUCKY 40108

270-422-3988

### LARUE COUNTY HEALTH CENTER

215 EAST MAIN STREET

HODGENVILLE, KENTUCKY 42748

270-358-3844

### NELSON COUNTY HEALTH CENTER

325 SOUTH THIRD

BARDSTOWN, KENTUCKY 40004

502-348-3222

### WASHINGTON COUNTY HEALTH CENTER


302 EAST MAIN STREET

SPRINGFIELD, KENTUCKY 40069

859-336-3980

# Hardin County Health Profile

## Social and Economic Factors




## Demographics

Hardin County Total Population	108,266
White Persons	80.7%
Black Persons	12.8%
Hispanics or Latino Origin	5.7%
Other	0.8%


## Health Care Access

Indicators	Ratio
Primary Care Physician	1 per 1,550
Dentist	1 per 1,140
Mental Health Provider	1 per 330


## Educational Attainment



## Age



## MAJOR INDUSTRIES



In the most recent data available, the median household income in Hardin County is \$50,407.00

### Social and Behavioral Factors

Measure	Hardin County	Kentucky	National
Adults that report that they are sedentary – no physical activity	27.5%	27.8%	22.6%
Prevalence of Obesity (adults)	31.2%	32.1%	37.9% (2013/14)
Prevalence of Overweight (adults)	66.0%	66.2%	70.7% (2013/14)
Prevalence of Smoking (adults)	23.2%	26.1%	16.8% (2014)
Prevalence of Youth Smoking (% of high school students)	22.4%	25.0%	25.3%
Tooth Loss (adults missing six or more teeth)	15.4%	24.0%	N/A
Binge Drinking (adults)	8.2%	12.2%	16.0%
Drug Arrests (per 100,000 population)	1,660 (2014)	1,322 (2014)	489.0 (2014)

### Health Outcomes

Measure	Hardin County	Kentucky	National
Total Mortality (per 100,000 population), Rate of death from all causes per year	841	904	821.5 (2013)
Less Than Good Health (% of adults that report their health as being generally fair or poor)	18.8%	21.0%	9.5% (2007)
Average Mentally Unhealthy Days (per month), (Average number of days on the past 30 days when mental health, including stress, depression and emotional problems was not good)	3.6	4.3	3.7
Prevalence of Asthma (adults)	15.7%	15.5%	7.4% (2014)
Prevalence of Diabetes (adults)	11.1%	10.8%	10%
Prevalence of Hypertension (adults)	39%	39.1%	31.4%

### Cancer Deaths (per 100,000 population)

Measure	Hardin County	Kentucky	National
All Cancers	196.4	200.5	189.6
Lung and Bronchus	69	69.1	49.3 (2013)
Colorectal	18.6	17.9	16.4 (2013)
Breast	23.4	22.5	13.0 (2013)
Prostate	18.3	21.5	8.7 (2013)

### Cardiovascular (per 100,000 population)

Measure	Hardin County	Kentucky	National
Heart Disease Deaths	175	204	192.6 (2014)
Stroke Deaths	47	42	41.7 (2014)

### Maternal and Child Health

Measure	Hardin County	Kentucky	National
Adequate Prenatal Care (percentage of pregnant women who received prenatal care)	58.6%	67.0%	69.4 (2009)
Infant Mortality (per 1,000 live births)	6	7	6
Low Birth Weight (percentage of babies born with a weight of <5 pounds, 8 ounces)	7.4%	8.8%	8
Teen Births (rate per 1,000 women ages 15-19)	42.5	41.5	26.5
Immunization Coverage (percentage of children ages 19-35 months who received the suggested early childhood immunizations)	75%	80%	81%
Uninsured Child Population (percent of children under age 19)	6.4%	6.5%	6.2%


### Communicable Diseases

Measure	Hardin County	Kentucky	National
Chlamydia (among all age groups) (per 100,000 population)	528	394.2	446.6
Gonorrhea (among all age groups) (per 100,000 population)	98	105.7	109.6 (2014)
Tuberculosis (number of TB cases 2015)	1	67	9,421 (2014)
HIV (total cases)	173	9,464	44,073 est. (2014)
Pertussis (total cases)	2	8.7	9.1



# Larue County Health Profile

## Social and Economic Factors




## Demographics

Larue County Total Population	14,180
White Persons	94.6%
Black Persons	2.3%
Hispanics or Latino Origin	3.1%
Other	0.0%


## Health Care Access

Indicators	Ratio
Primary Care Physician	1 per 14,060
Dentist	1 per 4,730
Mental Health Provider	1 per 7,090

## Educational Attainment




## Age



## MAJOR INDUSTRIES

(PERSONS EMPLOYED, 3RD QUARTER, 2014)



In the most recent data available, the median household income in Larue County is \$40,312.00

### Social and Behavioral Factors

Measure	Larue County	Kentucky	National
Adults that report that they are sedentary – no physical activity	28.6%	27.8%	22.6%
Prevalence of Obesity (adults)	30.3%	32.1%	37.9% (2013/14)
Prevalence of Overweight (adults)	70.0%	66.2%	70.7% (2013/14)
Prevalence of Smoking (adults)	27.2%	26.1%	16.8% (2014)
Prevalence of Youth Smoking (% of high school students)	24.4%	25.0%	25.3%
Tooth Loss (adults missing six or more teeth)	28.3%	24.0%	N/A
Binge Drinking (adults)	11.4%	12.2%	16.0%
Drug Arrests (per 100,000 population)	1,989 (2014)	1,322 (2014)	489.0 (2014)

### Health Outcomes

Measure	Larue County	Kentucky	National
Total Mortality (per 100,000 population), Rate of death from all causes per year	894	904	821.5 (2013)
Less Than Good Health (% of adults that report their health as being generally fair or poor)	19.8%	21.0%	9.5% (2007)
Average Mentally Unhealthy Days (per month), (Average number of days on the past 30 days when mental health, including stress, depression and emotional problems was not good)	4.8	4.3	3.7
Prevalence of Asthma (adults)	15.3%	15.5%	7.4% (2014)
Prevalence of Diabetes (adults)	11.3%	10.8%	10%
Prevalence of Hypertension (adults)	43%	39.1%	31.4%

### Cancer Deaths (per 100,000 population)

Measure	Larue County	Kentucky	National
All Cancers	191.5	200.5	189.6
Lung and Bronchus	55.2	69.1	49.3 (2013)
Colorectal	Not available	17.9	16.4 (2013)
Breast	Not available	22.5	13.0 (2013)
Prostate	Not available	21.5	8.7 (2013)

### Cardiovascular (per 100,000 population)

Measure	Larue County	Kentucky	National
Heart Disease Deaths	180	204	192.6 (2014)
Stroke Deaths	57	42	41.7 (2014)

### Maternal and Child Health


Measure	Larue County	Kentucky	National
Adequate Prenatal Care (percentage of pregnant women who received prenatal care)	62.4%	67.0%	69.4 (2009)
Infant Mortality (per 1,000 live births)	11	7	6
Low Birth Weight (percentage of babies born with a weight of <5 pounds, 8 ounces)	6.0%	8.8%	8
Teen Births (rate per 1,000 women ages 15-19)	38.8	41.5	26.5
Immunization Coverage (percentage of children ages 19-35 months who received the suggested early childhood immunizations)	76%	80%	81%
Uninsured Child Population (percent of children under age 19)	7.7%	6.5%	6.2%

### Communicable Diseases

Measure	Larue County	Kentucky	National
Chlamydia (among all age groups) (per 100,000 population)	323.0	394.2	446.6
Gonorrhea (among all age groups) (per 100,000 population)	49.2	105.7	109.6 (2014)
Tuberculosis (number of TB cases 2015)	0	67	9,421 (2014)
HIV (total cases)	5	9,464	44,073 est. (2014)
Pertussis (per 100,000 population)	0	8.7	9.1

# Marion County Health Profile

## Social and Economic Factors




## Demographics

Marion County Total Population	20,007
White Persons	88.3%
Black Persons	8.4%
Hispanics or Latino Origin	2.0%
Other	1.3%


## Health Care Access

Indicators	Ratio
Primary Care Physician	1 per 2,230
Dentist	1 per 2,860
Mental Health Provider	1 per 650


## Educational Attainment



## Age



## MAJOR INDUSTRIES



In the most recent data available, the median household income in Marion County is \$39,089.00

### Social and Behavioral Factors

Measure	Marion County	Kentucky	National
Adults that report that they are sedentary – no physical activity	24.6%	27.8%	22.6%
Prevalence of Obesity (adults)	32.9%	32.1%	37.9% (2013/14)
Prevalence of Overweight (adults)	70.0%	66.2%	70.7% (2013/14)
Prevalence of Smoking (adults)	23.4%	26.1%	16.8% (2014)
Prevalence of Youth Smoking (% of high school students)	24.2%	25.0%	25.3%
Tooth Loss (adults missing six or more teeth)	28.3%	24.0%	N/A
Binge Drinking (adults)	12.4%	12.2%	16.0%
Drug Arrests (per 100,000 population)	2,014 (2014)	1,322 (2014)	489.0 (2014)

### Health Outcomes

Measure	Marion County	Kentucky	National
Total Mortality (per 100,000 population), Rate of death from all causes per year	887	904	821.5 (2013)
Less Than Good Health (% of adults that report their health as being generally fair or poor)	18.3%	21.0%	9.5% (2007)
Average Mentally Unhealthy Days (per month), (Average number of days on the past 30 days when mental health, including stress, depression and emotional problems was not good)	4.4	4.3	3.7
Prevalence of Asthma (adults)	15.3%	15.5%	7.4% (2014)
Prevalence of Diabetes (adults)	9.8%	10.8%	10%
Prevalence of Hypertension (adults)	43%	39.1%	31.4%

### Cancer Deaths (per 100,000 population)

Measure	Marion County	Kentucky	National
All Cancers	175.0	200.5	189.6
Lung and Bronchus	63.1	69.1	49.3 (2013)
Colorectal	22.0	17.9	16.4 (2013)
Breast	Not available	22.5	13.0 (2013)
Prostate	Not available	21.5	8.7 (2013)

### Cardiovascular (per 100,000 population)

Measure	Marion County	Kentucky	National
Heart Disease Deaths	185	204	192.6 (2014)
Stroke Deaths	44	42	41.7 (2014)

### Maternal and Child Health


Measure	Marion County	Kentucky	National
Adequate Prenatal Care (percentage of pregnant women who received prenatal care)	75.7%	67.0%	69.4 (2009)
Infant Mortality (per 1,000 live births)	4	7	6
Low Birth Weight (percentage of babies born with a weight of <5 pounds, 8 ounces)	9.5%	8.8%	8
Teen Births (rate per 1,000 women ages 15-19)	40.8	41.5	26.5
Immunization Coverage (percentage of children ages 19-35 months who received the suggested early childhood immunizations)	80%	80%	81%
Uninsured Child Population (percent of children under age 19)	7.5%	6.5%	6.2%

### Communicable Diseases

Measure	Marion County	Kentucky	National
Chlamydia (among all age groups) (per 100,000 population)	382.1	394.2	446.6
Gonorrhea (among all age groups) (per 100,000 population)	41.3	105.7	109.6 (2014)
Tuberculosis (number of TB cases 2015)	0	67	9,421 (2014)
HIV (total cases)	17	9,464	44,073 est. (2014)
Pertussis (per 100,000 population)	0	8.7	9.1

# Meade County Health Profile

## Social and Economic Factors




## Demographics

Meade County Total Population	29,139
White Persons	91.8%
Black Persons	3.9%
Hispanics or Latino Origin	4.3%
Other	0.0%


## Health Care Access

Indicators	Ratio
Primary Care Physician	1 per 4,870
Dentist	1 per 4,160
Mental Health Provider	1 per 1,000


## Educational Attainment



## Age



## MAJOR INDUSTRIES



In the most recent data available, the median household income in Meade County is \$52,377.00

### Social and Behavioral Factors

Measure	Meade County	Kentucky	National
Adults that report that they are sedentary – no physical activity	29.0%	27.8%	22.6%
Prevalence of Obesity (adults)	35.6%	32.1%	37.9% (2013/14)
Prevalence of Overweight (adults)	69.0%	66.2%	70.7% (2013/14)
Prevalence of Smoking (adults)	35.6%	26.1%	16.8% (2014)
Prevalence of Youth Smoking (% of high school students)	22.7%	25.0%	25.3%
Tooth Loss (adults missing six or more teeth)	23.0%	24.0%	N/A
Binge Drinking (adults)	7.5%	12.2%	16.0%
Drug Arrests (per 100,000 population)	1,664 (2014)	1,322 (2014)	489.0 (2014)

### Health Outcomes

Measure	Meade County	Kentucky	National
Total Mortality (per 100,000 population), Rate of death from all causes per year	852	904	821.5 (2013)
Less Than Good Health (% of adults that report their health as being generally fair or poor)	18.9%	21.0%	9.5% (2007)
Average Mentally Unhealthy Days (per month), (Average number of days on the past 30 days when mental health, including stress, depression and emotional problems was not good)	4.6	4.3	3.7
Prevalence of Asthma (adults)	19.4%	15.5%	7.4% (2014)
Prevalence of Diabetes (adults)	9.9%	10.8%	10%
Prevalence of Hypertension (adults)	45%	39.1%	31.4%

### Cancer Deaths (per 100,000 population)

Measure	Meade County	Kentucky	National
All Cancers	220.8	200.5	189.6
Lung and Bronchus	82.8	69.1	49.3 (2013)
Colorectal	15.8	17.9	16.4 (2013)
Breast	29.8	22.5	13.0 (2013)
Prostate	Not available	21.5	8.7 (2013)



### Cardiovascular (per 100,000 population)

Measure	Meade County	Kentucky	National
Heart Disease Deaths	189	204	192.6 (2014)
Stroke Deaths	38	42	41.7 (2014)

### Maternal and Child Health


Measure	Meade County	Kentucky	National
Adequate Prenatal Care (percentage of pregnant women who received prenatal care)	63.5%	67.0%	69.4 (2009)
Infant Mortality (per 1,000 live births)	7	7	6
Low Birth Weight (percentage of babies born with a weight of <5 pounds, 8 ounces)	6.1%	8.8%	8
Teen Births (rate per 1,000 women ages 15-19)	33	41.5	26.5
Immunization Coverage (percentage of children ages 19-35 months who received the suggested early childhood immunizations)	76%	80%	81%
Uninsured Child Population (percent of children under age 19)	7.1%	6.5%	6.2%

### Communicable Diseases

Measure	Meade County	Kentucky	National
Chlamydia (among all age groups) (per 100,000 population)	197.0	394.2	446.6
Gonorrhea (among all age groups) (per 100,000 population)	17.9	105.7	109.6 (2014)
Tuberculosis (number of TB cases 2015)	1	67	9,421 (2014)
HIV (total cases)	25	9,464	44,073 est. (2014)
Pertussis (per 100,000 population)	1	8.7	9.1

# Nelson County Health Profile

## Social and Economic Factors




## Demographics

Nelson County Total Population	44,812
White Persons	92.3%
Black Persons	5.3%
Hispanics or Latino Origin	2.1%
Other	0.3%


## Health Care Access

Indicators	Ratio
Primary Care Physician	1 per 2,020
Dentist	1 per 1,870
Mental Health Provider	1 per 700

## Educational Attainment




## Age



## MAJOR INDUSTRIES

(PERSONS EMPLOYED, 3RD QUARTER, 2014 )



In the most recent data available, the median household income in Nelson County is \$54,540.00

### Social and Behavioral Factors

Measure	Nelson County	Kentucky	National
Adults that report that they are sedentary – no physical activity	29.0%	27.8%	22.6%
Prevalence of Obesity (adults)	32.1%	32.1%	37.9% (2013/14)
Prevalence of Overweight (adults)	68.0%	66.2%	70.7% (2013/14)
Prevalence of Smoking (adults)	29.7%	26.1%	16.8% (2014)
Prevalence of Youth Smoking (% of high school students)	19.1%	25.0%	25.3%
Tooth Loss (adults missing six or more teeth)	20.0%	24.0%	N/A
Binge Drinking (adults)	19.3%	12.2%	16.0%
Drug Arrests (per 100,000 population)	2,383 (2014)	1,322 (2014)	489.0 (2014)

### Health Outcomes

Measure	Nelson County	Kentucky	National
Total Mortality (per 100,000 population), Rate of death from all causes per year	835	904	821.5 (2013)
Less Than Good Health (% of adults that report their health as being generally fair or poor)	19.0%	21.0%	9.5% (2007)
Average Mentally Unhealthy Days (per month), (Average number of days on the past 30 days when mental health, including stress, depression and emotional problems was not good)	3.5	4.3	3.7
Prevalence of Asthma (adults)	18.7%	15.5%	7.4% (2014)
Prevalence of Diabetes (adults)	9.5%	10.8%	10%
Prevalence of Hypertension (adults)	36%	39.1%	31.4%

### Cancer Deaths (per 100,000 population)

Measure	Nelson County	Kentucky	National
All Cancers	191.2	200.5	189.6
Lung and Bronchus	66.9	69.1	49.3 (2013)
Colorectal	18.8	17.9	16.4 (2013)
Breast	19.7	22.5	13.0 (2013)
Prostate	21.6	21.5	8.7 (2013)

### Cardiovascular (per 100,000 population)

Measure	Nelson County	Kentucky	National
Heart Disease Deaths	182	204	192.6 (2014)
Stroke Deaths	55	42	41.7 (2014)

### Maternal and Child Health


Measure	Nelson County	Kentucky	National
Adequate Prenatal Care (percentage of pregnant women who received prenatal care)	75.2%	67.0%	69.4 (2009)
Infant Mortality (per 1,000 live births)	5	7	6
Low Birth Weight (percentage of babies born with a weight of <5 pounds, 8 ounces)	9.2%	8.8%	8
Teen Births (rate per 1,000 women ages 15-19)	34.9	41.5	26.5
Immunization Coverage (percentage of children ages 19-35 months who received the suggested early childhood immunizations)	77%	80%	81%
Uninsured Child Population (percent of children under age 19)	6.3%	6.5%	6.2%

### Communicable Diseases

Measure	Nelson County	Kentucky	National
Chlamydia (among all age groups) (per 100,000 population)	341.3	394.2	446.6
Gonorrhea (among all age groups) (per 100,000 population)	55.4	105.7	109.6 (2014)
Tuberculosis (number of TB cases 2015)	0	67	9,421 (2014)
HIV (total cases)	37	9,464	44,073 est. (2014)
Pertussis (per 100,000 population)	1	8.7	9.1

# Washington County Health Profile

## Social and Economic Factors




## Demographics

Washington County Total Population	11,959
White Persons	91.6%
Black Persons	6.3%
Hispanics or Latino Origin	3.8%
Other	0.0%


## Health Care Access

Indicators	Ratio
Primary Care Physician	1 per 2,970
Dentist	1 per 2,390
Mental Health Provider	1 per 1,990


## Educational Attainment



## Age



## MAJOR INDUSTRIES



In the most recent data available, the median household income in Washington County is \$39,983.00

### Social and Behavioral Factors

Measure	Washington County	Kentucky	National
Adults that report that they are sedentary – no physical activity	33.2%	27.8%	22.6%
Prevalence of Obesity (adults)	33.4%	32.1%	37.9% (2013/14)
Prevalence of Overweight (adults)	70.0%	66.2%	70.7% (2013/14)
Prevalence of Smoking (adults)	24.2%	26.1%	16.8% (2014)
Prevalence of Youth Smoking (% of high school students)	17.8%	25.0%	25.3%
Tooth Loss (adults missing six or more teeth)	28.3%	24.0%	N/A
Binge Drinking (adults)	11.7%	12.2%	16.0%
Drug Arrests (per 100,000 population)	485 (2014)	1,322 (2014)	489.0 (2014)

### Health Outcomes

Measure	Washington County	Kentucky	National
Total Mortality (per 100,000 population), Rate of death from all causes per year	854	904	821.5 (2013)
Less Than Good Health (% of adults that report their health as being generally fair or poor)	14.8%	21.0%	9.5% (2007)
Average Mentally Unhealthy Days (per month), (Average number of days on the past 30 days when mental health, including stress, depression and emotional problems was not good)	3.7	4.3	3.7
Prevalence of Asthma (adults)	15.3%	15.5%	7.4% (2014)
Prevalence of Diabetes (adults)	11.8%	10.8%	10%
Prevalence of Hypertension (adults)	43%	39.1%	31.4%

### Cancer Deaths (per 100,000 population)

Measure	Washington County	Kentucky	National
All Cancers	188.6	200.5	189.6
Lung and Bronchus	73.7	69.1	49.3 (2013)
Colorectal	Not available	17.9	16.4 (2013)
Breast	Not available	22.5	13.0 (2013)
Prostate	Not available	21.5	8.7 (2013)

### Cardiovascular (per 100,000 population)

Measure	Washington County	Kentucky	National
Heart Disease Deaths	188	204	192.6 (2014)
Stroke Deaths	45	42	41.7 (2014)

### Maternal and Child Health

Measure	Washington County	Kentucky	National
Adequate Prenatal Care (percentage of pregnant women who received prenatal care)	74.7%	67.0%	69.4 (2009)
Infant Mortality (per 1,000 live births)	3	7	6
Low Birth Weight (percentage of babies born with a weight of <5 pounds, 8 ounces)	8.4%	8.8%	8
Teen Births (rate per 1,000 women ages 15-19)	34.2	41.5	26.5
Immunization Coverage (percentage of children ages 19-35 months who received the suggested early childhood immunizations)	76%	80%	81%
Uninsured Child Population (percent of children under age 19)	9.9%	6.5%	6.2%

### Communicable Diseases

Measure	Washington County	Kentucky	National
Chlamydia (among all age groups) (per 100,000 population)	306.7	394.2	446.6
Gonorrhea (among all age groups) (per 100,000 population)	33.2	105.7	109.6 (2014)
Tuberculosis (number of TB cases 2015)	0	67	9,421 (2014)
HIV (total cases)	5	9,464	44,073 est. (2014)
Pertussis (per 100,000 population)	0	8.7	9.1